
# · 910et

## Gioel S.p.a.

Italian industrial group that has been **operating for 25 years nationally and in 8 countries around the world**.

We offer 100% green and Made in Italy solutions which - through the use of water alone - allow you to purify the air therefore reducing indoor pollution and to sanitize surfaces. Our products are covered by 9 international patents and IMQ, CE, CCC certificates for quality and safety.

The effectiveness of our solutions has been confirmed by researches carried out by the University of Modena and Reggio Emilia and by the CNR (National Research Council). Viral inactivation has been tested against Coronavirus, A / H1N1, Enterovirus Echo-7, Herpes Simplex Virus-1.



## STUDIES AND **CERTIFICATIONS**



Advanced research on the capacity of the Gioel - G400 system to remove pollutants from indoor environments.





Assessment of the virucidal effectiveness of the Gioel G400 vacuum-steam system with Gioel G400 water filter against Coronaviruses

Assessment of the effectiveness of the Gioel vacuum-steam system with water filter in reducing the virus load in domestic and public environment

Assessment of the effectiveness of the Gioel vacuum-steam system with water filter in reducing environmental contaminants.



Azienda Provinciale per i Servizi Sanitari Provincia Autonoma di Trento


Assessment of the vacuum and steam system's effectiveness in sanitizing and in eliminating the bacterial load when cleaning and sanitizing surfaces.




Effectiveness of indor air purification using a patented Gioel 440 in controlling the symptoms and in the evolution of pathologies arising from allergies affecting the respiratory tract



ENVIRONMENTAL ADVANTAGES of using one Gioel product in one year









## GIOEL EQUILIBRIUM

The innovative system that allows you to find the perfect balance between air purification and well-being by letting immerse yourself in a multisensory experience that stimulates sight, smell and hearing while washing the ambient air around you.

Gioel Equilibrium sucks in the air, conveys it into the water tank and, thanks to the molecular separator that rotates at 22,000 revolutions per minute, separates and retains the polluting elements, releasing the air completely clean.

It has several programs to suit all needs. It also works autonomously, activating itself based on the degree of air contamination.

Can be controlled via the dedicated app, it allows you to keep the air quality data under control before and after the washing cycle.

Gioel Equilibrium accompanies you in the search for your daily well-being through the customizable multisensory experiences of lights, scents and sounds, recreating the perfect environment to regain your balance.



## TECHNICAL SPECIFICATIONS

### GIOEL EQUILIBRIUM

Manufacturing company:

Sisterair SRL, Via Brennero 260/g – 38121 Trento (TN) - ITALY"

Rated voltage: 220/240 V. Frequency: 50/60 Hz. Rated power: 600 W.

Vacuum: Motor:

BLDC Brushless Motor - Single stage - 600 W.

Electrical insulation class: II Thermal insulation class: F

5-speed motor adjustment: 90 W. – 220 W. – 350 W. – 420 W. - 550 W.

Max flow: 50m3 / h

Water tank capacity: 2,0 lt.

Max level: 1,5 lt. Min level: 0.75 lt.

Filtration system:

International patent based on three successive phases of water filtration and molecular separator that rotates at 21.000 rpm.

Air quality sensors:

Particulate matter

V0C

Temperature

Humidity

Noise:

Minimum speed: 54db Maximum speed: 68db

Safeties/

Presence of the dome

Tray lid/present

Minimum and maximum level Motor/thermal protection: 80 ° C

Power fuse: 250 V 5A

Electronics:

Management via keyboard on the product

Management and programming via App, bluetooth connection

Other functions:

Perfume with special powder fragrances

Led lamp function: ring d. 212 mm 21 W. / m 14 W. TC 24 V

Cable length: 1800 mm

**Dimensions:** max diameter: 365 mm; h: 468 mm

Weight:

9.3 Kg without water 10.8 kg with water

Control and certification marks: CE

## GIOEL AIR

It purifies the indoor air through a patented water filtering system with **3 levels**. It almost completely eliminates fine dust, bacterial load, mold, allergens, droplets and micro-droplets (saliva droplets, whether infected or not), pollutants (formaldehyde, benzene, cigarette smoke, etc.), bad smells, etc. It decreases the amount of CO2 in the air



Can be used non-stop in the presence of people
No health hazards
Aromatherapy
Humidity stabilization
No filters nor other consumables
Programmable on/of switch

# GIOEL KIT: VACUUM CLEANER

Series of accessories - to be connected to Gioel Air - that allows you to take advantage of the water filter system to vacuum any surface and material, even liquids.

The lightness and ease of handling of the accessories - together with the telescopic extensions - allow you to reach even the most hidden corners. In addition, while it vacuum, it cleans and purifies the air as well.

It always have the same vacuuming power
It withholds all the powders and micro-powders
No filters, bags or other consumables
It removes dust from both surfaces and the air
3 power levels



### TECHNICAL SPECIFICATIONS

GIOEL AIR - VACUUM CLEANER

### Manufacturing company:

AXANA 2000 SRL, Via Alberé 3/R - 36060 Fellette di Romano D'Ezzelino (VI) - ITALY:

Ratedvoltage: 220/240 V.

Frequency: 50/60 Hz.

Rated power: 2.500 W.

### Vacuum:

Two-stage bypass motor 1.100 W.

3-speed motor adjustment

**Vacuuming:** 750 W. - 950 W. - 1.100 W. **Air cleansing:** 200 W. - 750 W. - 1.000 W.

Water tank capacity: 1,25 lt

### Filtration system:

International patent based on three successive phases of water filtration and molecular separator that rotates at 22.000 rpm.

Prevalence: 2.000 mmH20 Max flow rate: 110 m3/h

## GIOEL STEAM

The Gioel 440 series dry steam generator, connectable to the Gioel Air - Vacuum cleaner module, turns this machine into a **complete system** for any need, from daily cleaning to ecological sanitation. All in a natural way, without the use of detergents.

A powerful system - 5.5 bar pressure and 160 ° C in the boiler - with proven virucidal effeciveness (also against Coronaviruses). The wide range of accessories - included in the package - allows you to work on any type of surface, even the most delicate (wood, fabrics, etc.)



I washes and dries simultaneously any surface In-depth sanitizing

You can clean the most delicate surfaces, using

You can clean the most delicate surfaces, using the special tools supplied It degreases the most greasy or dirty surfaces with the water jet combined with the steam Ecological sanitizing

It reduces the use of plastic

It eliminates detergents and chemicals, at the same time eliminating the risk of allergic reaction

### TECHNICAL SPECIFICATIONS GIOEL STEAM

**Boiler :** AISI 304 stainless steel **Resistance:** Incoloy 1.500 W. **Boiler capacity:** Total volume 2l; Volume H20 while heating 0,7l

Autonomy: Unlimited, continuous charging system

**Refill water tank capacity:** 1,75 lt. **Pressure:** 5,5 bar max (0,55 Mpa.) **Steam temperature:** 160°C max.

**Safety:** Auto reset thermostat; Bulb thermostat; Electronic pressure switch; Max safety valve

Very low voltage handle: 5/V.

**Steam supply:** Three levels via 2 solenoid valves **MIRAGE mode:** Pressured steam and hot water mix supply system controlled by a third solenoid valve.

**Steam heating time :** 4,5 minutes.

#### **Electronics:**

The electronic system has been designed to handle:

- the control of the engine power levels, overNow and no water tray alarm, protection for the molecular separator, air cleaning mode timer with three
- different times, mode and data display;
- the control of the steam supply, the heating elements power, end of water in the tank; limescale alarm; signal of steam ready;

 $\frac{1}{2}$  all controls for the normal use of the product

are available on the handle

Cable length: 5,5 mt.

**Dimensions**: 560x330x420 mm.

Weight:

Vacuum part: 6,6 Kg.

**Vacuum part + Steam:** 12,8Kg. Control and certification marks : CE

# GIOEL **451 PRO**

Designed specifically for the most demanding companies, Gioel G451 (pro), combines all the **features of the 440 series modules in one product**. Air cleaning, vacuuming and steam sanitization. Greater convenience and power are guaranteed by a steam generator at 7 bar pressure and 170 ° C in the boiler, a handy trolley for easier movement and continuous water refilling that allows for uninterrupted use.

Can be used non-stop in the presence of people
Aromatherapy
Humidity stabilization
Programmable ignition
It always have the same vacuuming power
It removes and withholds all the powders and micro-powders from both surfaces and air
No filters, bags or other consumables

3 power levels
It washes and dries any surface (including the most delicate ones) at the same time
In-depth sanitizing

It degrease the most greasy or dirty surfaces with water jet combined with the steam Ecological sanitizing

It reduces the use of plastic

It eliminates detergents and chemicals, at the same time eliminating the risk of allergic reactions



## SPECIFICHE TECNICHE

GIOEL 451 PRO

Factory: AXANA 2000 SRL, Via Albere 3/R -

36060 Fellette di Romano D'Ezzelino (VI) - ITALY:

Rated voltage: 220/240 V. Frequency: 50/60 Hz. Rated power: 2.800 W.

**Vacuum:** Two-stage bypass motor 1.100 W;

3-speed motor adjustment.

**Aspiration:** 750 W. - 950 W. - 1.100 W. **Air cleaning:** 200 W. - 750 W. - 1.000 W.

Water tank capacity: 1,25 lt.

Filtration system: International patent based on three successive stages of water filtration and molecular separator which rotates at 22,000 rpm.

Prevalence: 2.000 mmH20 Max flow rate: 110 m3/h **Boiler:** AISI 304 stainless steel **Resistance:** Incoloy 1.800W. **Boiler capacity:** Total volume 2l; Volume H20 while heating 0,7l

**Autonomy:** Unlimited, continuous charging system

Refill water tank capacity: 1,75 lt. **Pressure:** 7,0 bar max (0,70 Mpa.) **Steam temperature:** 170°C max.

**Safety:** Auto reset thermostat; Bulb Thermostat; Electronic pressure switch; Max safety valve

Very low voltage handle: 5 V.

Steam supply: Three levels via 2 solenoid valves

MIRAGE mode: Pressured steam and hot water mix supply system controlled

by a third solenoid valve.

Steam ready time: 3,5 minutes

#### Electronics:

The electronic system has been designed to:

- the control of the engine power levels, over⊠ow and no water

mode timer with three different times, mode and data display;

- the control of the steam supply, the heating elements power, end of water in the tank; limescale alarm; signal of steam ready;
- all controls for the normal use of the product are available on the handle.

Cable length: 6 mt.

Dimensions: 560x330xh420 mm.

### Weight:

Vacuum part + Steam: 12,8 kg. Control and certification marks: CE

## GIOEL FUTURSAN

A dry steam generator with a streamlined and angular design, it is a no-frills operator providing an excellent performance.

7 bar pressure and 170 ° C in the boiler, convenient, solid and hyper-accessorized.

Ecological sanitization, without detergents and chemicals, is now within everyone's reach.



Ideal for large surfaces

In-depth sanitizing any material, even the most delicate, using the appropriate tools It degreases the most greasy or dirty surfaces with the water jet combined with the steam Ecological sanitizing (confirmed virucidal effectiveness)

Convenient and lightweight

It reduces the consumption of plastic

It eliminates detergents and chemicals, at the same time eliminating the risk of allergic reactions



Steam MOP, with controlled supply.
Lightweight and versatile, thanks to the telescopic
and double-jointed aluminum tube that
allows both horizontal and vertical movements

The manufacturing features keep the aluminum cold
even with constant steam supply.
Ideal for large spaces it is suitable for
cleaning all surfaces, thanks also to the
two types of professional micro\( \text{Mber cloths supplied.} \)
It sanitize without chemicals with no effort.





Container trolley for all Futursan's accessories





### **BRUSH**

Brush that dry sanitizes upholstery and fabrics (curtains, sofas, mattresses ...)



### **STEAM KIT**

Complete set for any surface consisting of:

Mexible hose with steam dispenser;

2 extension tubes and 4 accessories

(scrub brush, triangular brush, lance and glass wiper)



### **DRESS**

Single-hole lance with cable that can be connected directly to the steam generator; several brushes can be \( \text{Mtted}. \)

## TECHNICAL SPECIFICATIONS

GIOEL FUTURSAN

Factory: Axana 2000 SRL per Gioel SPA

Rated voltage: 220/240 V. Frequency: 50/60 Hz. Rated power: 2.250 W.

Main Features: Steel external shell;

Resistance in Incoloy/2,200 W; Aisi 304 stainless steel boiler

Safety devices: pressure switch, auto reset thermostat,

bulb thermostat, maximum safety valve.

Maximum steam flow 100 g/min.

#### MIRAGE mode:

Hot water and steam jet;

Automatic system for continuous realling of the water in the boiler;

Teflon anti-limescale connector for

cold water inlet to the boiler; Top control switches;

Limescale discharge with external cap; Water level probe

in external boiler that can be inspected by the user for easy cleaning;

Pressure gauge; 0-Max steam regulator; Swiveling wheels;

Top handle for easy transport;

Manual cable reel on the back of the device;

Power cable length 3 m;

Monotube length for \ance accessory 280 mm.

Max pressure: 7 bar

Steam temperature in the boiler max: 170°C

Weight: 8 kg.

Dimensions: 265X280X480 mm. (LXPXH)

Certification: CE


### CARATTERISTICHE GIOEL **GIOEL KIT:** GIOEL **GIOEL GIOEL AIR VACUUM CLEANER STEAM** 451 PRO **FUTURSAN MODULAR PRODUCT** but it needs Gioel Air but it needs Gioel Air and vacuum cleaner kit **AIR CLEANING** AND PURIFICATION **AROMATHERAPY** SURFACES **VACUUM SANITIZATION WITH STEAM** 5.5 bar 7 bar 7 bar

### **OUR CUSTOMERS**

over 500,000 in Italy



KINDERGARTENS SCHOOLS UNIVERSITIES



CLEANING COMPANIES SANIFICATIONS



HOSPITALS
MEDICAL STUDIES
RESIDENTIAL AND
NURSING HOMES



HOTEL RESTAURANTS B&B



HAIRDRESSERS BEAUTICIANS GYMS

## CONTACTS

Gioel S.p.A via Alto Adige 92 - 38121 Trento (TN) tel. 0461 950250 - email: info@gioel.com

www.gioel.com









Gioel